8900211

THE UNIVERD SHAVES OF AMERIC

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Northrup King Co.

Talkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF YEARS FROM THE DATE OF THIS GRANT, SUBJECT eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.1

SOYBEAN

'S19-90'

In Testimony Whereof, I have hereunto sel my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C.

this 29th day of March the year of our Lord one thousand nine

hundred and ninety-one.

Allosti

ANAMA

Plant Variety Protection Office

Agricultural Marketing Gervice

LO DEPARTMENT OF ACRICULT	IDE	FORM APPROVED: OMB NO. 0581-0055		
U.S. DEPARTMENT OF AGRICULTU AGRICULTURAL MARKETING SERV	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
APPLICATION FOR PLANT VARIETY PROTE (Instructions on reverse)				
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME		
Northrup King Co.	X8820, J301429	S19-90		
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY		
P. O. Box 959		PVPO NUMBER		
Minneapolis, MN 55440	612-593-7333	8900211		
6. GENUS AND SPECIES NAME 7. FAMILY NA	ME (Botanical)	2 May 151989		
Glycine max Leg	guminosae	Nay 151989		
		# 2:00 DAM. P.M.		
8. KIND NAME (See al. 1) Street of Equation (September 1)	DATE OF DETERMINATION	AMOUNT FOR FILING		
Contract the Contract that A participated	Tanagara 1007	a \$ 1800 7350		
Soybean	January, 1987	DATE Whay 15/989; May 2: AMOUNT FOR CERTIFICATE		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM	OF ORGANIZATION (Corporation,	AMOUNT FOR CERTIFICATE		
partnership, association, etc.)		# \$ 050		
Corporation	agent in the state of the state	Libruary 20,199		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION		
Delaware		1976		
Northrup King Co. P. O. Box 959 Minneapolis, MN 55440 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMIT	TTED	code): 612-593-7305		
 a. Exhibit A, Origin and Breeding History of the Variety (See b. Exhibit B. Novelty Statement. 	: Section 52 of the Plant Variety Pro	tection Act.)		
c. Exhibit C, Objective Description of Variety (Request form	from Plant Variety Protection Office	:e.)		
d. 🗵 Exhibit D, Additional Description of Variety.		•		
e. Exhibit E, Statement of the Basis of Applicant's Ownershi	р.			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAR SEED? (See Section 83(a) of the Plant Variety Protection Act.)		E ONLY AS A CLASS OF CERTIFIED (items 16 and 17 below)		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEE	WHICH CLASSES OF PRODUCTION D?		
Yes No	Foundation	Registered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECT	ION OF THE VARIETY IN THE U	S.? Yes (If "Yes," give date)		
		₩ No		
		<u> </u>		
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE	OR MARKETED IN THE U.S. OR	Yes (If "Yes," give names of countries and dates)		
		∏ No		
20 m		LXI		
20. The applicant(s) declare(s) that a viable sample of basic seed plenished upon request in accordance with such regulations	as may be applicable.			
The undersigned applicant(s) is (are) the owner(s) of this see distinct, uniform, and stable as required in Section 41, and i Variety Protection Act.	kually reproduced novel plant var is entitled to protection under the	iety, and believe(s) that the variety is provisions of Section 42 of the Plant		
Applicant(s) is (are) informed that false representation here	in can jeopardize protection and	result in penalties.		
SIGNATURE OF APPLICANT		DATE		
Niber W. Horney		May 11, 1989		
SIGNATURE OF APPLICANT		DATE		

FORM LS-470 (3-86)

EXHIBIT A

Origin and Breeding History of the Variety

- 1980-82 The Northrup King soybean research group at Washington, Iowa made the cross 'B152' x 'Pella' and advanced the population to F₆. In October, 1982, the Northrup King soybean research group at St. Joseph, Illinois harvested 100 random plants and threshed them individually.
- 1983 We grew each of the 100 plant selections in an F_7 progeny row. We selected one of these, numbered J301429, on the basis of agronomic appearance to be tested in a preliminary yield trial. This line was subsequently named S19-90.
- 1984-86 We tested S19-90 in replicated yield trials at several Midwestern U.S. and Southern Ontario locations and found it to yield well in comparison to other late Maturity Group I and early Group II varieties. We identified and confirmed the descriptive characteristics purple flowers, tawny pubescence, tan pods, grey hilum, and dull seed coat luster. We tested S19-90 for reaction to iron-deficiency chlorosis on calcareous soil in Northwest Iowa and found it to give an intermediate reaction. We tested it for resistance to Race 3 of Phytophthora megasperma by inoculation of detached cotyledons and found it to be resistant.

In the winter of 1986-87 we initiated seed increase from approximately 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by intensively roguing the increase block several times.

1987-88 - We continued to test S19-90 in advanced yield trials to confirm descriptive characteristics and performance. We tested it for reaction to other races of Phytophthora and confirmed the presence of the Rps 1-c gene for resistance.

We grew Breeder Seed of S19-90 in 1987 from the initial increase made the previous winter. We also grew 100 progeny rows to monitor within line variability and to produce Pedigree Seed. The variety was judged to be uniform for observable characteristics.

In 1988 we grew Foundation Seed of S19-90. The Iowa Crop Improvement Association inspected the production field and found it to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved S19-90 for eligibility for Certification on December 8, 1988.

S19-90 is a stable and uniform soybean variety. Seeds of S19-90 have grey hila and like other grey hilum varieties, may exhibit ocassional seeds with lighter or darker than normal hila. We have observed occasional seeds with solid or partially black seedcoats.

We attribute these to soybean mosaic virus or a rare mutation of the I gene which controls seed coat color. We have observed no other variants in six years of testing and 3 cycles of seed increase other than minor, environmentally induced variation normally encountered in a soybean variety.

We will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S19-90 is most similar to B152 and A1937. It can be differentiated from B152 on the basis of pubescence color. S19-90 has tawny pubescence while B152 has grey pubescence. It can be differentiated from A1937 on the basis of pod color and hilum color. S19-90 has tan pods and seeds with grey hila while A1937 has brown pods and seeds with brown hila.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SUTBE.	AN (Glycine max L.)					
NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME						
Northrup King Co.	X8820, J301429	S19-90				
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo		FOR OFFICIAL USE ONLY				
Northrup King Co. Attention: R. P. O. Box 959	W. Romig	PVPO NUMBER				
Minneapolis, MN 55440		8900211				
Choose the appropriate response which characterizes the va-	riety in the features described	below. When the number of significant digits				
in your answer is fewer than the number of boxes provided,	, place a zero in the first box w	then number is 9 or less (e.g., 0 9).				
Starred characters * are considered fundamental to an adeq when information is available.	uate soybean variety description	on. Other characters should be described				
1. SEED SHAPE:						
3 L W	T					
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2)				
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)				
(2. SEED COAT COLOR: (Mature Seed)						
1 1 = Yellow 2 = Green 3 = Brown	<u>.</u>					
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)				
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	**************************************					
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')					
7 4. SEED SIZE: (Mature Seed)						
18 Grams per 100 seeds Compared to Corsoy 7	79 at 14	,				
5. HILUM COLOR: (Mature Seed)	gradication gradients of the second					
1 = Buff 2 = Yellow 3 = Brown 4 May contain up to 2% other hi	4 = Gray 5 = Imperfect Blac	ck 6 = Black 7 = Other (Specify)				
6. COTYLEDON COLOR: (Mature Seed)		***************************************				
The state of the s						
1 = Yellow 2 = Green	And the second of the second o	And the second s				
7. SEED PROTEIN PEROXIDASE ACTIVITY:						
1 = Low 2 = High	er in de servició de la composition de	and the second of the second o				
8. SEED PROTEIN ELECTROPHORETIC BAND:						
2 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)						
gree <mark>t 4</mark>	e e digita de la comitación de la comitación de constituente que destación de la comitación de la comitación d					
9. HYPOCOTYL COLOR:						
1 = Green only ('Evans'; 'Davis') 2 = Green with	bronze band below cotyledons ('V	Mandersakhte (Tunest)				
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')		Ψοσαworth; Iracy /				
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	Coker Hampton 266A')	and the second s				
10. LEAFLET SHAPE: 10. 1455/95. 10.44 ft s		· · · · · · · · · · · · · · · · · · ·				
	Wight district part of the A.					
3 = Ovate	4 = Other (Specify)					

11, LEAFLET SIZE:	5700211
1 = Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
2. 3 = Large ('Crawford'; 'Tracy')	
The state of the s	r terretak pertakan dianggan di kacamanggan ngangkan nganggan nganggan nganggan nganggan nganggan nganggan nga Nganggan nganggan ng
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York')	The Company of the Co
3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')
in the second of	. 1900 ж. ж. м. м. н. н. н. н. н. н. менеминде дексите стор, бил стор, бил стор, бил стор, бил стор, стор, стор Стор
T 13. FLOWER COLOR:	
2 1 = White 2 = Purple	3 = White with purple throat
2 - Fulpie	. 2 - write min brible rules were the company of the control of th
14. POD COLOR:	
No. 12	
1 = Tan 2 = Brown	3 = Black
15. PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tay	NNY)
16. PLANT TYPES:	and the state of t
1 = Slender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')
3 = Bushy ('Gnome'; 'Govan')	
A Programme Communication of the Communication of t	
17. PLANT HABIT:	
1 = Determinate ('Gnome': 'Braxton	') 2 = Semi-Determinate ('Will')
3 = Indeterminate ('Nebsoy'; 'Impro	
18. MATURITY GROUP:	
1 = 000 2 = 00 3	= 0
1 3 7r 1	= VIII 12 = IX 13 = X
19. DISEASE REACTION: (Enter 0 = Not Tester	d; 1 = Susceptible; 2 = Resistant)
BACTERIAL DISEASES:	The first of the control of the cont
Bacterial Pustule (Xanthomonas phase	seoli var. sojensis)
Bacterial Blight (Pseudomonas glycin	real) en transferior de la companya de la companya La companya de la co
	en de la companya de La companya de la co
Wildfire (Pseudomonas tabaci)	and the state of the The state of the state
FUNGAL DISEASES:	and the contract of the contra
Brown Spot (Septoria glycines)	en de la companya de La companya de la co
,	
Frogeye Leaf Spot (Cercospora sojina	
Race 1 Race 2	Race 3 Race 4 Race 5 Other (Specify)
Target Spot (Corynespora cassiicola)	
Target apot (coryrespora cassifcola)	grand from the second of the s
Downy Mildew (Peronospora trifolior	um var. manshurica)
Powdery Mildew (Microsphaera diffus	in the profit of the profit of the first of the second of the profit of the second of
Brown Stem Rot (Cephalosporium gre	Less susceptible than most varieties.
Stem Canker (Diaporthe phaseolorum	

19.	DISEA	SE REACTION	l: (Enter 0 = Not Te	ested; 1 = Susceptible; 2 =	Resistant) (Continued)	to the program of the second s	the state of the s			
	FUN	GAL DISEASE	S: (Continued)				•			
*		Pod and Stem Blight (Diaporthe phaseolorum var; sojae)								
	1	Purple Seed Stain (Cercospora kikuchii)								
		Rhizoctonia	Root Rot (Rhizocto	nia solani)			· 			
		Phytophthor	a Rot (Phytophthora	n megasperma var. sojae)						
*	2	Race 1	2 Race 2	2 Race 3 1	Race 4 1 Race 5	2 Race 6	2 Race 7			
	2	Race 8	2 Race 9	Other (Specify) _						
•	VIRA	AL DISEASES:				•				
	1	Bud Blight (T	obacco Ringspot Vi	rus)						
	$\overline{\Box}$	Yellow Mosai	c (Bean Yellow Mos	aic Virus)		<u>.</u> .				
*	Ī		ic (Cowpea Chloroti	·						
	П		Bean Pod Mottle Viru							
+	\exists			•						
.^	L		Soybean Mosaic Vir	us)		·				
	IVEIVI	ATODE DISEA								
•	Soybean Cyst Nematode (Heterodera glycines)									
.		Race 1	I Race 2	I Race 3 I	Race 4 Other (Specify)				
	Lance Nematode (Hoplolaimus Colombus)									
*	Southern Root Knot Nematode (Meloidogyne incognita)									
* .	Northern Root Knot Nematode (Meloidogyne Hapla)									
	Peanut Root Knot Nematode (Meloidogyne arenaria)									
	Reniform Nematode (Rotylenchulus reniformis)									
į	OTHER DISEASE NOT ON FORM (Specify):									
	20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)									
20, P	1			= Not Tested; 1 = Suscep	tible; 2 = Resistant)					
^ .		Iron Chlorosis	on Calcareous Soil		•					
		Other (Specify	ay a majarah ada		mang talah kan diga dari kasal na sa	ran villa til a til magazat i ligar fala.	TO A SECTION OF THE S			
21. II	NSECT	REACTION:	(Enter 0 = Not Teste	ed; 1 = Susceptible; 2 = R	esistant) Harang Agazani kanakani kanahiri ka	end direkter blandig kurtur bland.	e symmetri			
		Mexican Bean	Beetle (Epilachna va	arivestis)	erangan di kacamatan da mangan di kacamatan di kacamatan di kacamatan di kacamatan di kacamatan di kacamatan d Kacamatan di kacamatan di kacama		į			
İ	Potato Leaf Hopper (Empoasca fabae)									
	Other (Specify)									
22. IN	IDICAT	TE WHICH VA	RIETY MOST CLO	SELY RESEMBLES THA	AT SUBMITTED.					
No.	CHAR	ACTER	NAME	OF VARIETY	CHARACTER	NAME O	F VARIETY			
Pla	nt Sha	pe	S1346		Seed Coat Luster	S15-50				
Le	af Shap	oe	S27-10		Seed Size	Century 84	<u> </u>			
	af Colo		A1937		Seed Shape	S30-31	<u> </u>			
Le	af Size		Corsoy 79	en e	Seedling Pigmentation	S1346				
13.3 Aug.	1.0	and the street of the street of the	in the section of the Alleria	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	★■ 1. (*) ** ** ** ** ** ** ** ** ** ** ** ** *		· ·			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
e valtos			HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	119	- 1.5	78	5.7	9.5	39.0	21.8	17.6	2-3
Corsoy 79 Name of Similar Variety		3.0		5.5	9.6	38.8	21.6	13.5	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
 - 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
 - ...3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
 - 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.




EXHIBIT D

Additional Description of the Variety

Soybean variety S19-90 is a late Group I cultivar maturing between A1937 and Corsoy 79. It has normal tolerance to metribuzin herbicide. It exhibits long hypocotyl elongation when grown in 11 cm. of sand at 25° C for 14 days.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S19-90 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.